
## Waste Transport



SP=Semi Pneumatic MR: Mold-On Rubber

**Akro-Carts** 



- STRONG: Latch bars extend around the frame for added strength.
- EASY LOADING: Wide mouth and low profile for easy loading.
- COLOUR OPTIONS: All carts available in Gray (black lid), Blue (Blue lid) and Green (Green Lid).

STANDARD COLOURS: Green, Blue, Gray



MODEL NO.			DIME	NSION	S [IN]		WHEEL SPECIFICATIONS					
WITHOUT LID	WITH LID	DESCRIPTION	w		н	SIZE	TYPE	CASTER	FRAME	MAX CAP. (LBS.)		
76460	76461	Medium-Duty 60 Gallon	301/2	48	331/2	12 x 2"	Solid Rubber	3 x 1¼ Thermo-Plastic	1" O.D. x 16 ga. Galvanized	300		
76490	√ 76491	Medium-Duty 90 Gallon	301/2	48	391/2	12 x 2"	Solid Rubber	3 x 1¼ Thermo-Plastic	1" O.D. x 16 ga. Galvanized	350		
76590	76591	Heavy Duty 90 Gallon	301/2	48	391/2	12 x 2"	Semi-Pneumatic	4 x 2 Mold-on Rubber	1.05" O.D. x 13 ga. Powder Coated	450		

ECOTAINER Balers & Containers 1.800.561.6525

# **Recycling Transport**

#### **MegaKart**<sup>®</sup>

- RESIDENTIAL: 65 and 96 Gallon carts designed for residential waste management
- **COMPATIBLE:** with automated and semi-automated systems.
- DURABLE: Injection molded for exceptional durability and cost effectiveness.
- QUALITY: Resists damage from oil and most chemicals. Engineered for rigidity and strength.

MEGAKART	DIMENSIONS [IN]			DIMENSIONS [IN]		CAPACITY		
MODEL NO.	W	D	н	WHEEL DIAMETER	SIZE [GAL.]	MAX CAP. (LBS.)		
79565	24	27 42		10	65	230		
79596	28	32	46	12	96	335		





	REC	YCLING CONTAINER	DIME	NSIONS	CAPACITY	
	MODEL NO.		w	D	Н	
✓	075-611	Recycling Container	203/4	15	12	1.69 Cu. Ft.
1	RC25171401	Recycling Container	25	17	13	2.54 Cu. Ft.
	BN48452520	Bulk Box	48	45	25	2500 lbs
1	BN48453420	Bulk Box	48	45	34	2500 lbs
✓	TS48450300	Bulk Box Lid	483/4	451/4	23/4	-

- VARIETY: Multiple sizes simplifies separation of glass, paper and plastic for sorting or pick up.
- ► **DURABLE:** Plastic construction with a UV inhibitor to resist fading. Withstands temperatures ranging -20° to 120° F.
- ► **QUALITY:** Resists damage from oil and most chemicals. Engineered for rigidity and strength.

ECOTAINER Balers & Containers 1.800.561.6525

# **Collapsible Bulk Boxes**

### **Heavy-Duty**



Buckhorn's Heavy-Duty Bulk Boxes are rated for load capacities up to 2,500 lbs. They collapse flat in seconds and stack for storage and return shipment - optimizing space usage and saving money on returned freight. Hand-hold areas on panels provide a comfortable grip for panel movement.

- ▶ FOOTPRINTS: 48" x 40" and 48" x 45"
- Feature steel corner hit plates to deflect fork tines
- Three recessed steel base runners for added stacking strength
- Drop-doors and four-way forklift entry improve ergonomics and handling efficiency
- Superior durability for reliable performance
- Customization and identification options available
- Backed by a one-year limited warranty
- ▶ 100% recyclable HDPE



HEAVY-DUTY		OUTSIDE DIMENSIONS [IN]				inside Nsions	5 [IN]	CAPACITY	LIDS
	MODEL NO.	W	D	н	W	D	н	(LBS)	
	BH48402520	47 5/8	39 <sup>3</sup> /4	25 ½	44	36 1⁄4	18 1⁄4	2,500	TH4840002001
1	BH48403420	47 5/8	39 <sup>3</sup> /4	33 %10	44	36 1⁄4	26 ½	2,500	TH4840002001
	BH48452520	47 5/8	44 5/8	25 ½	44 1/4	41 1/4	19 7/10	2,500	TH484502001
1	BH48453420	47 5/8	44 5/8	34	44 1/4	41 1/4	27 1/10	2,500	TH484502002

Maximizer



Reuse the Maximizer hundreds of times to ship and store light-duty dry goods. And then collapse it flat - in just seconds. This durable, highly versatile solution is ideal for manufacturing, plastic packaging products, lightweight components and more!

- Eliminates the need for tools, staples or nails
- Can be stored indoors or outdoors
- ► Two full-width doors improve access and ergonomics
- ▶ Four-way forklift entry promotes easy, flexible handling
- Superior storage space with one assembled unit storing eight collapsed boxes inside
- Units can be stacked three high for added storage space
- Backed by a one-year limited warranty

MAXIMIZER	OUTSIDE DIMENSIONS [IN]				inside Nsions	[IN]	CAPACITY	LIDS
MODEL NO.	w			w			(LBS)	
✓ GL484041201	48	40	42 ³/5	45 ²/5	37 1⁄9	36	800	Included

# **Collapsible Bulk Boxes**

## Extra Duty Bulk Box

	EXTRA-DUTY	OUTSIDE DIMENSIONS [IN]				INSIDE NSIONS	[IN]	CAPACITY	LIDS
	MODEL NO.	w	D	н	w			(LBS)	
	BN48452520	48	45	25	44 1/2	41 1/2	18 ²/5	2,500	TS48450300
√	BN48453420	48	45	34	44 ½	41 ½	27	2,500	TS48450301

- ► FOOTPRINT: 48" x 45"
- Drop-doors and four-way forklift entry improve ergonomics and handling efficiency.
- Superior durability for reliable performance.
- Backed by a one-year limited warranty.
- ▶ 100% recyclable HDP.

#### **Industry Standard**

HEAVY-DUTY	OUTSIDE DIMENSIONS [IN]			INSIDE DIMENSIONS [IN]			CAPACITY	LIDS
MODEL NO.	W	D	н	w	D	н	(LBS)	
BS32302520	32 1/10	30	25	29 1/10	27	18 ²/5	1,800	TS3230002
BS32303420	32 1/10	30	34	29 1/10	27	27 ²/5	1,800	TS3230003
BI48403920	47 ½	39 ½	39 ½	44 <sup>3</sup> /5	36 1/5	32 1/5	1,600	
BX484544BO	48	45	44	44 ½	41 1/2	37	1,800	TS48450301


► **FOOTPRINTS:** 32" x 30", 48" x 40" and 48" x 45"

- Plastic runners for added stacking strength
- Drop-doors and four-way forklift entry improve ergonomics and handling efficiency.
- Superior durability for reliable performance. 100% recyclable HDPE. Backed by a one-year limited warranty



Buckhorn's Extra-Duty Bulk Boxes are rated for load capacities between 2,300 and 2,500 lbs. They collapse flat in seconds and stack for storage and return shipment.





Buckhorn's Industry Standard Bulk Boxes are rated for load capacities between 1,600 and 1,800 lbs. They collapse flat in seconds and stack for storage and return shipment.

### **Fixed Wall and Agricultural Containers**

Fixed Wall Boxes do not fold down. Instead, they are designed with rounded rims and corners, which means they are easy to keep clean. They ensure the maximum load capacity and provide protection of goods.

F	IEAVY-DUTY	OUTSIDE DIMENSIONS [IN]				INSIDE NSIONS	[IN]	CAPACITY	LIDS
	MODEL NO.	w	D	н	w	D	н	(LBS)	
	BF484515XP	48	45	15	44 1/2	41 3/5	8 1⁄5	2,300	TS48450301
	BF484519XP	48	45	19	44 ½	41 3/5	12 1⁄5	2,300	TS48450302
	BF42292800	41 <sup>3</sup> / <sub>5</sub>	28 4/5	27 4/5	39 ²/5	26 3/5	227/10	900	TL42290400
~	BF48442900	47 %10	43 4/5	29 1/5	45 ³/s	42	23 ²/5	700	✓ TL48440300

- ► **FOOTPRINTS:** 48" x 45
- ► Four-way forklift entry improves handling efficiency.
- Superior durability for reliable performance. Backed by a one-year limited warranty.
- 100% recyclable HDPE

ECOTAINER Balers & Containers 1.800.561.6525



